



JK FILTER

Y Style Filter

Being composed of polypropylene engineering plastic, with the features of easy installation, high compression resistance and durability, the Y-filter perform perfectly in reducing frequency of cleaning, blocking particle and impurity effectively and achieving water saving with its sturdiness and durability.



T-type & H-type

In order to face the bigger requirement of volume and performance, We have developed different sizes of T-type filter and H-Type filter. Those two types of filters have better performance and more choice of filter element (different mesh of both screen and disc).



Y Style Filter

Product	Pictures	Model No.	Max Flow	Coverage	Mesh	Max pressure	Connection & installation type
3/4inch Y-type filter		JK-YD025-X	5 m³/h	180 cm²	120	8	3/4"BSP
		JK-YS025-X					
1 inch Y-type filter		JK-YD032-X	6 m³/h	180 cm²	120	8	1"BSP
		JK-YS032-X					
1.2 inch Y-type filter		JK-YD040-X	10 m³/h	300 cm²	120	8	1-1/4"BSP
		JK-YS040-X					
1.5 inch Y-type filter		JK-YD050-L	14 m³/h	300 cm²	120	8	1-1/2"BSP
		JK-YS050-L					
2 inch Y-type filter		JK-YD063-S	20 m³/h	300 cm²	120	8	2"BSP
		JK-YS063-S					
2 inch Y-type filter		JK-YD063-L	25 m³/h	525 cm²	120	8	2"BSP
		JK-YS063-L					
2.5inch Y-type filter		JK-YD075	30 m³/h	600 cm²	120	8	2-1/2"BSP
		JK-YS075					



T Type Filter

Product	Pictures	Model No.	Connection	Body Material	Mesh	Max pressure	Max Flow	Size
1.2 inch disc filter		JK-TD040	BSP	Glass-fiber reinforced polypropylene	120	8 Bar	10 m ³ /h	270×210×135mm
		JK-TS040						
1.5 inch disc filter		JK-TD050	BSP	Glass-fiber reinforced polypropylene	120	8 Bar	14 m ³ /h	270×210×135mm
		JK-TS050						
2 inch disc filter		JK-TD063-S	BSP/VIC	Glass-fiber reinforced polypropylene	120	8 Bar	16 m ³ /h	270×210×135mm
		JK-TS063-S						
2 inch disc filter		JK-TD063	BSP/VIC	Glass-fiber reinforced polypropylene	120	8 Bar	20 m ³ /h	610×320×220mm
		JK-TS063						
2.5 inch disc filter		JK-TD075	BSP	Glass-fiber reinforced polypropylene	120	8 Bar	25 m ³ /h	620×320×220mm
		JK-TS075						
3 inch disc filter		JK-TD090	BSP/VIC	Glass-fiber reinforced polypropylene	120	8 Bar	30 m ³ /h	740×340×220mm
		JK-TS090						



H Type Filter

Product	Pictures	Model No.	Connection	Body Material	Mesh	Max pressure	Max Flow	Size
3 inch disc filter		JK-HD090	BSP/VIC	Glass-fiber reinforced polypropylene	120	10 Bar	30 m ³ /h	940×340×220mm
		JK-HS090						
4 inch disc filter		JK-HD110-S	BSP/VIC	Glass-fiber reinforced polypropylene	120	10 Bar	60 m ³ /h	960×340×220mm
		JK-HS110-S						
4 inch lengthen disc filter		JK-HD110-L	BSP/VIC	Glass-fiber reinforced polypropylene	120	10 Bar	60 m ³ /h	1220×340×220mm
		JK-HS110-L						



JK FILTER